

(SRI KADIDAL MANJAPPA)

(c) Capacity ... 104 units.
Atchka ... 132 acres 39 guntas.

(d) No.

(e) Nil.

Construction of Houses for Scheduled Castes in Holenarasipur Taluk.

Q.—37. Sri Y. VEERAPPA (Holenarsipur).—

Will the Government be pleased to state :—

(a) the amount spent so far from 1952 up to the end of December 1959 towards the construction of house for the Schedule Caste people in Holenarsipur Taluk ;

(b) the number of houses to which the amount has been advanced and the number of houses that are completed and occupied ;

(c) the number of houses that are incomplete and the total amount advanced for all the incomplete houses ;

(d) the reasons for their incompleteness ?

A.—Sri N. RACHAIAH (Minister for Agriculture, Excise and Social Welfare).—

(a) Rs. 11,3,275.

(b) (1) Number of houses ... 616 for which amount advanced.

(2) Number of houses ... 509 completed and occupied

(c) Incomplete houses ... 10 Amount advanced Rs. 27,948.

(d) The construction of houses are under several stages of progress. Action is being taken to complete these house expeditiously.

Construction of Bridge at Nittoor.

Q.—41. Sri K. P. KARUMBAYA (Virajpet).—

Will the Government be pleased to state :—

(a) whether the construction of a bridge across Lakshmana Thirtha at

Nittoor is sanctioned ; if so, at what cost ;

(b) when they propose to complete this bridge ?

A.—Sri H. M. CHANNABASAPPA (Minister for Public Works and Electricity).—

(a) Yes ; Rs. 2,41,000.

(b) In about 2 working seasons after a suitable agency is fixed.

Pick-ups constructed in Malavalli Taluk.

Q.—47. Sri S. KARIAPPA (Virupakshipura).—

Will the Government be pleased to state :—

(a) the names of pick-ups constructed during the past three years in Malavalli Taluk (information may be furnished yearwise) ;

(b) the cost of each of these pick-ups ;

(c) the estimated extent of irrigable area.

(d) the actual area now under wet cultivation under each of these pick-ups ;

(e) whether the sources of these pick-ups are perennial ?

A.—Sri H. M. CHANNABASAPPA (Minister for Public Works and Electricity).—

(a), (b), (c) and (d) *Vide* statement given below.

(e) The pick-ups situated in the V.C. area receive seepage from the irrigated tract of V.C. and its branches during the irrigation season and there will be adequate supply during the irrigation season. As regards the pick-ups in non-V.C. area of Malavalli Taluk, there will be sufficient supply of water during the irrigation season during the years of good rainfall.